

Nixon & Vanderhye PC

ATTORNEYS AT LAW

8TH FLOOR
1100 NORTH GLEBE ROAD
ARLINGTON, VIRGINIA 22201-4714

TELEPHONE: (703) 816-4000
FACSIMILE: (703) 816-4100
WRITER'S DIRECT DIAL NUMBER:
(703) 816-4057

FACSIMILE COVER SHEET
PLEASE DELIVER IMMEDIATELY!!!!

Our Ref.: 4380-61
Your Ref.: 09/362,189 Date: August 31, 2004

To: Commisioner for Patents c/o Examiner Neil S. LEVY
Firm: United States Patent & Trademark Office
Facsimile No.: 703-872-9307
From: Willem F. Gadiano

Number of Pages (including cover sheet): 5
(IF YOU DO NOT RECEIVE ALL OF THE PAGES OR ENCOUNTER DIFFICULTIES IN TRANSMISSION,
PLEASE CONTACT US IMMEDIATELY AT (703-816-4000).

wfg

FACSIMILE OPERATOR

ATTACHMENT/S:

1. AMENDMENT AFTER FINAL REJECTIONMESSAGE:**CONFIDENTIALITY NOTE**

The documents accompanying this facsimile transmission contain information belonging to Nixon & Vanderhye, which is confidential and/or legally privileged. This information is only intended for the use of the individual or entity named above. IF YOU ARE NOT THE NAMED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR TAKING OF THIS INFORMATION FOR ANY USE WHATSOEVER IS STRICTLY PROHIBITED. If you have received this facsimile in error, please immediately contact us by telephone to arrange for return of the original documents to us.

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.